




Circuit Diagram



P.C.B layout





NOTE:
 1. Rating: DC30V 0.1A
 2. OP: 8.0 ± 0.8
 3. Operating force: 20 ± 10gf
 4. Mechanical Life: 3,000,000


⑦	Shrapnel	1	Beryllium Copper			
⑥	Contact	1	Ag			
⑤	Lever	1	Stainless Steel			
④	Terminal	3	Bross(0.50t)	Plating silver		
③	Housing	1	PBT	White		
②	Knob	1	POM	White		
①	Cover	1	PBT	Black		
ITEM	PART NAME	TER'NO.	QTY.	MATERIAL	FINISHING	REMARK

APPROVALS	DATE	ELECTRONICS CO.,LTD	
DRAWN JKUN.LU	2013/6/4	MICRO SWITCHS	
CHECKED		PART NO. K9-1267H-H12	
APPROVALS		TITLE: MICRO SWITCHS	



ECN NO.	REV.	DATE.	DESCRIPTION.	CHANGE.	CHECK.	APPRO.
	A		NEW			
TOLERANCES ARE 30~0.1 ± 10~0.30 ± 0.20 ± 0.15 5~10 ± 0.10 ± 2°						
DRAWING NO. SCALE: 1:1						
SHEET 1 OF 1						



Circuit Diagram



P.C.B layout



NOTE:
 1. Rating:DC30V 0.1A
 2.OP:9.30±0.8
 3.Operating froce:30±15gf
 4.Mechanical Life:3,000,000

⑦	Shrapnel	1	Beryllium Copper			
⑥	Contact	1	Ag			
⑤	Lever	1	Stainess Steel			
④	Terminal	3	Bross(0.50t)	Plating silver		
③	Housing	1	PBT	White		
②	Knob	1	POM	Green		
①	Cover	1	PBT	Black		
ITEM	PART NAME	TER'NO.	QTY.	MATERIAL	FINISHING	REMARK

APPROVALS	DATE	
DRAWN JKUN.LU	2015/3/14	
CHECKED		
APPROVALS		

TOLERANCES ARE	30~100 ±	±0.30	ANGLE	
	10~30	±0.20		
	5~10	±0.15		
	~ 5	±0.10		

ECN NO.	REV.	DATE.	DESCRIPTION.	CHANGE.	CHECK.	APPRO.
	A		NEW			





ELECTRONICS CO.,LTD

TITLE: MICRO SWITCHS


PART NO. K9-1267H-H11

SCALE: 1:1



DRAWING NO. SHEET 1 OF 1



Circuit Diagram



P.C.B layout





NOTE:
 1. Rating: DC30V 0.1A
 2. OP: 8.70 ± 0.8
 3. Operating force: 30 ± 15gf
 4. Mechanical Life: 3,000,000


⑦	Shrapnel	1	Beryllium Copper			
⑥	Contact	1	Ag			
⑤	Lever	1	Stainless Steel			
④	Terminal	3	Bross(0.50t)	Plating silver		
③	Housing	1	PBT	White		
②	Knob	1	POM	Green		
①	Cover	1	PBT	Black		
ITEM	PART NAME	TER'NO.	QTY.	MATERIAL	FINISHING	REMARK

APPROVALS		DATE	ELECTRONICS CO.,LTD		
DRAWN	J.X.Zhang	2013/6/4			
CHECKED					
APPROVALS					
TITLE:		MICRO SWITCHS			
PART NO.		K9-1267H-G-13.1			


ECN NO.	REV.	DATE.	DESCRIPTION.	CHANGE.	CHECK.	APPRO.	TOLERANCES ARE	30~125	±0.30	ANGLE	UNIT:	SCALE:	PROD.	SHEET
	A		NEW				10~30	±0.20		mm	1:1		PROJ.	1 OF 1
							5~10	±0.15	±2'					



Circuit Diagram



P.C.B layout



NOTE:
 1. Rating: DC30V 0.1A
 2. OP: 8.20±0.8
 3. Operating force: 30±15gf
 4. Mechanical Life: 3,000,000

⑦	Shrapnel	1	Beryllium Copper		
⑥	Contact	1	Ag		
⑤	Lever	1	Stainless Steel		
④	Terminal	3	Bross(0.50t)	Plating silver	
③	Housing	1	PBT	White	
②	Knob	1	POM	White	
①	Cover	1	PBT	Black	

APPROVALS		DATE		REMARK	
DRAWN	J.X.Zhang	2013/6/4	ELECTRONICS CO.,LTD		

CHECKED		TITLE:	MICRO SWITCHS		
---------	--	--------	---------------	--	--

APPROVALS		PART NO.	K9-1267H-D-13.1		
-----------	--	----------	-----------------	--	--

TOLERANCES ARE	30~125 ±	±0.30	ANGLE	UNIT:	SCALE:	PROD:
	10~30	±0.20		mm	1:1	
	5~10	±0.15	±2°			
	~ 5	±0.10		DRAWING NO.		SHEET 1 OF 1

ECN NO.	REV.	DATE.	DESCRIPTION.	CHANGE.	CHECK.	APPRO.
	A		NEW			